

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▼

[Sign in](#)



creating query including URL search range

Search

[Advanced Search](#)
[Preferences](#)



Web Results 1 - 10 of about 1,290,000 for **creating query including URL search range**. (0.08 seconds)

Autonomy Ultraseek Search Features - Open Objects

You can **search** on any word, **including** and , if , or the For example, the **search query** url:star_trek will only retrieve documents that have star_trek ...

www.openobjects.com/products/ultraseek/search_features.jsp - 17k · [Cached](#) · [Similar pages](#)

Google Search Tips

You can confine your **search query** within a certain **range**. If you **include search** words in addition to the web address in your **query**, those **search** words ...

www.ciesin.org/gsearch/search_tips.jsp - 28k · [Cached](#) · [Similar pages](#)

Google Advanced Search Form - Google Guide

(If you previously entered a **query** from the standard **search** box, ... the **search**, the **URL** at the top of your browser window should **include** the text &num=50 ...

www.googleguide.com/sharpening_queries.html - 49k · [Cached](#) · [Similar pages](#)

12. Working With Search Collections (Sun Java System Web Server ...

Create, modify, delete, and re-index **search** collections Making a **Query**. Access the **Search** web application by entering its **URL** in the Location bar of ...

docs.sun.com/app/docs/doc/819-2629/gcxyz?a=view - 44k · [Cached](#) · [Similar pages](#)

Main Articles: 'An Introduction to the Search/Retrieve URL Service ...

Jul 30, 2004 ... sub **search** { # get the input my (\$**query**, \$**style**) = @_ ; # open the index my \$**swish** = SWISH::API->new(\$**INDEX**) ; # **create a search** object my ...

www.ariadne.ac.uk/issue40/morgan/ - 33k · [Cached](#) · [Similar pages](#)

Subscribed Links Developer Guide

You have to go through the wizard each time you **create** a simple **query** and its complete your subscribed link description form, **including** a **URL** to your ...

www.google.com/coop/docs/subscribedlinks/start.html - 25k · [Cached](#) · [Similar pages](#)

New Titles @ UIUC: Advanced Usage

You can reproduce the new **search** on the New Titles page by **creating** a **URL**. For each **range** it will return all titles from (inclusive) [Start] and up to but ...

www.library.uiuc.edu/voyager/advanced.html - 68k · [Cached](#) · [Similar pages](#)

MPR: Help: Search

So to broaden or restrict the **search**, **include** fewer or more terms. You do not need to **include** ... You can confine your **search query** within a certain **range**. ...

minnesota.publicradio.org/about/site/help/search/ - 50k · [Cached](#) · [Similar pages](#)

Common **Query** Language (SRU: **Search** and Retrieve via **URL** ...


Common **Query** Language: SRU (**Search**/Retrieve via **URL**) is a standard **search** protocol ... Context sets permit CQL users to **create** their own indexes, relations, ...

www.loc.gov/standards/sru/sru1-1archive/cql/index.html · 35k · [Cached](#) · [Similar pages](#)

AMIS Technology blog » Blog Archive » **Creating** your own advanced ...

Insert references to the documents on the weblog, **including** the **URL** and the Title of ... we find 24 articles with this **query**. Let us narrow down the **search**. ...

technology.amis.nl/blog/?p=459 · 65k · [Cached](#) · [Similar pages](#)



creating query including URL search range

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) | [Try Google Experimental](#)

©2008 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)